

COMMERCIAL COLLECTION

Premium workplace hydration solutions.

BOILING CHILLED SPARKLING AMBIENT FILTERED

Billi®

AUSTRALIAN MADE SINCE 1989.



Billi Multifunction Mixer Tap in Brushed

CONTENTS

ABOUT BILLI

04 — Engineered for Excellence. Chosen by Experts.

06 — Our Commitment to Sustainability

08 — The Smart Choice for Sustainable Commercial Fit-Outs

09 — Choosing the Right Billi Unit for Your Project

10 — Guide to Key Features

11 — How to Choose Your Billi

14 — Billi Innovation: Multifunction Mixer Tap

16 — Billi Innovation: OmniOne Pro

18 — Two Decades of Breakthrough: Celebrating the Billi Quadra's 20th Anniversary

WATER SYSTEMS

21 — Billi Eco

21 — Billi Eco Sparkling

22 — Billi Quadra

22 — Billi Quadra Plus

23 — Billi Quadra Sparkling

23 — Billi Quadra Sparkling Plus

24 — Billi OmniOne

24 — Billi OmniOne Plus

25 — Billi Sahara

25 — Billi Sahara Plus

26 — Billi Alpine

26 — Billi Alpine Sparkling

27 — Billi Filter Tap

DISPENSERS

29 — XL Levered Dispenser

29 — XT Touch Dispenser

29 — XR Remote Dispenser

30 — Multifunction Mixer Tap

30 — Safety Dispenser

30 — Coloured XL Levered Dispenser

31 — Round Slimline Dispenser

31 — Dual Lever Dispenser

31 — Gooseneck Mixer Tap

32 — Square Mixer Tap

32 — Square Slimline Dispenser

32 — Square Slimline Spout Extension

33 — Paddle Lever Mixer Tap

33 — Disabled Lever

34 — Fonts & Risers

WATER FILTRATION

36 — Filters & Water Treatment

37 — In Partnership with BWT: Advanced Multi-Stage Filtration

38 — Why Timing Matters & Replacement Filter Range

39 — Easy Filter Change

40 — Enhanced Filtration in Harsh Environments

41 — Choose the Right Protection: HSD Pre-Filtration Kit & PFAS Reduction Filter

WASHROOMS & ACCESSORIES

43 — Touchless Washroom: Hands Free Sensor Taps

44 — Touchless Washroom: Soap Dispensers

45 — On Wall Unit: Billi Ultra

45 — RM 33 Bubbler

46 — Accessories: Tubing Extension Kits & CO2 Cylinders

BILLI CARE

48 — Billi's Installation & Service

49 — BilliCare Service Plans

50 — Warranty & Certifications

MADE IN AUSTRALIA.
LOVED ALL OVER THE WORLD



Billi XL levered Tap, with added 120mm Riser and complementary Paddle Lever Mixer Tap, in Urban Brass



Engineered for Excellence. Chosen by Experts.

When creating exceptional spaces, every detail matters, especially the elements that enhance well-being and efficiency.

For over 35 years, Billi has been the unequivocal choice of Australia's leading architects, interior designers, and specification experts, setting the global standard for instant filtered water systems. We understand that a premium environment demands more than just utility. It requires a perfect harmony of cutting-edge performance, aesthetic distinction, and unwavering reliability.

From our home in Melbourne, Australia, Billi systems are meticulously designed and manufactured to deliver a unique concept of under-bench instant filtered boiling, chilled, and sparkling water. This dedication to quality, coupled with industry-leading eco-technology, has made Billi synonymous with sustainable innovation and enduring quality worldwide.

When you specify Billi, you can be confident that you are choosing the system trusted to deliver ultimate performance and a sophisticated finish—the benchmark of instant water solutions.

1989
Founded in Melbourne

35+
Years of innovation

1ST
Under-bench system in the world

25
Countries worldwide



Australian-owned. Australian-made.

Billi is Australian-owned, Australian-run, and headquartered in Melbourne. Our systems are designed and manufactured locally, giving us close control over quality, faster development cycles, and a service network that understands Australian conditions.

For specifiers and procurement teams, that means a supply chain you can trace, a head office you can call, and a warranty backed by people on the same continent.

*All Billi systems are tested right off the production line.

OUR COMMITMENT TO SUSTAINABILITY

Minimising the environmental impact of our products is integral to our design and manufacturing process, positioning us as the informed choice for specifiers dedicated to environmental responsibility and building wellness.

Technology at the Core of Sustainability

Billi systems are designed around two unique, energy-saving technologies that redefine efficiency.

Water-Cooled Technology

Water conducts heat 24x more effectively than air, keeping the system running at consistent, efficient temperatures. Crucially, our water-cooled units do not require cupboard ventilation or fans, operating quieter and simplifying installation.

Heat Exchange & Energy Reclaim

By recovering waste heat energy produced during the chilling process and using it to preheat the boiling water, we can reduce the unit's energy usage and carbon footprint.

Global Certifications

Billi is proud to have attained globally recognised certifications that align with international Policy & Standards.

UN Sustainable Development Goals

Billi aligns its mission and practices with the SDGs, embracing this global initiative to contribute to a more equitable and sustainable world.

Management Systems

Certified in accordance with ISO 14001 (Environmental Management), ISO 9001 (Quality Management), and ISO 45001 (Workplace Health & Safety)

Global GreenTag Certification

The Billi Quadra Filtered Water System has achieved Gold Level of the LCARate Program since 2012 and Environmental Product Declaration (EPD EN 15804). This certification is recognised by green building rating tools like Green Star® Aust & NZ, NZ Homestar®, LEED® and BREEAM®, IS® Rating and WELL®.

Green Star Buildings and Fitouts Framework.

By integrating Global GreenTag Gold certifications and product-specific EPDs (Environmental Product Declarations), we provide designers with the verified data needed to secure critical credits across the Circular, Responsible, Healthy, and Positive categories. From our 100% electric, fossil-fuel-free operation to our zero-VOC, water-efficient engineering, Billi doesn't just meet sustainability standards; we provide the tangible metrics required to certify the high-performance, health-conscious workspaces of the future.

A Circular Process: Design to Recycling

The sustainability measures are embedded in our entire product lifecycle. Billi offers solutions that are not only high-performing and aesthetically premium but are actively reducing the environmental impact of your project specifications.

Design & Manufacturing

Billi filter units are Australian designed and manufactured in Melbourne from strategically sourced materials. Our products are renowned for their energy saving efficiency.

Waste Reduction

We pursue strategic partnerships to ensure the recyclability and re-use of materials wherever possible, minimising all forms of waste.

Empowering Individual Choices

We provide a supportive environment for employees to promote sustainable practices in both professional and personal lives, energy saving efficiency.

About the IWBI Health & Wellbeing in the built environment

The IWBI leads the global movement to transform our buildings and communities into places where people can thrive. The organisation focuses exclusively on how environments can enhance human comfort and wellness, managing the WELL Building Standard and the WELL Community Standard.

Billi's Partnership

Billi has been an engaged contributor to the WELL movement as a Cornerstone Member since 2019. In 2024, Billi pioneered the drinking water category's participation in the 'Works with WELL' program, certifying our product alignment with WELL features.

By choosing Billi, you are specifying a system that directly supports the goals of creating a healthier, high-performance built environment.

INTERNATIONAL WELL BUILDING INSTITUTE
MEMBER
CORNERSTONE

Sustainability Awards

Billi is a proud sponsor of Architecture & Design's Annual Sustainability Awards.

This is Australia's premier awards program for sustainable design and architecture, celebrating projects that demonstrate excellence in environmentally conscious practices.

The Single Dwelling Award presented by Billi is for the design and construction of a single residential building in the Class 1a category.






The Smart Choice for Sustainable Commercial Fit-Outs

Billi offers premium multifunction filtered water systems that deliver instant boiling, chilled, and sparkling water from a single sleek tap. Our water technology is engineered in Australia and built with sustainability at its core. Installing a Billi system significantly reduces plastic waste, lowers energy consumption, and delivers a superior hydration experience for workplaces committed to wellness and environmental responsibility. From boutique studios to large-scale commercial fit-outs, Billi products integrate seamlessly into any environment, providing building owners, designers, and occupants with an immediate, measurable step towards a greener footprint.

WHAT OUR CLIENTS ARE SAYING



WILLIAM HEATON | PRINCIPAL
THE ARCHIBALD RESIDENCES, NSW

"Billi's water systems were the perfect choice for The Archibald Residences. Their design seamlessly blends with our high-end finishes, and their reliability ensures our residents enjoy premium water quality"



CARA CUNNINGHAM | DIRECTOR
NEUE MEDIA, VIC

"We have so many visitors that come into the office every day for meetings and presentations, and I can honestly say the Billi Tap has really elevated that guest experience and that arrival experience."




DARCY MILLER | INTERIOR DESIGNER
MURDOCH SQUARE HEALTHCARE HUB, WA

"The Alpine 125's compact design allowed for discreet installation, preserving valuable space and maintaining the clean lines of joinery. The Matte White XL tap and font/riser, with its understated elegance, seamlessly blends with the modern aesthetic of the space."



MEGAN MATTOCK | FACILITIES MANAGER
HERITAGE LANES OFFICE TOWER, QLD

"Billi was the right partner for Heritage Lanes. Their Alpine 125 and Quadra Plus systems gave us accessible, instant filtered water across the building, supporting our WELL and Green Star goals while keeping our occupants healthy and hydrated."



Sustainable by Design


Billi's water-cooled technology uses incoming mains water instead of ambient air to cool the refrigeration compressor in instant boiling and chilled drinking water systems. This closed-loop heat exchange process reclaims waste heat to preheat the boiling water tank, saving energy and eliminating the need for cupboard ventilation grilles.

How it works

Heat Exchange: Fresh incoming water passes through a coil wrapped around the refrigeration compressor.

Energy Reclaim: The coil absorbs heat generated during the chilling process, preheating the water before it enters the boiling tank

No Air Vents Needed: Because water efficiently removes heat, the under-bench unit does not need noisy cooling fans, louvres, or cabinet cutout ventilation grilles



KEY BENEFITS OF WATER-COOLED TECHNOLOGY

INSTALLATION

Simple installation with no cupboard ventilation required.

HEAT EXHAUST

No hot air expelled into local cabinet spaces. Excess thermal energy safely carried away via drain.

NOISE LEVEL

Whisper-quiet operation. Heat exchange completely removes the need for high-velocity cooling fans.

SPACE REQUIREMENTS

Compact footprint. Ideal for space-constrained, high-density, or cluttered modern commercial cabinetry.

PERFORMANCE

24x

Water transfers heat up to 24× more efficiently than air, delivering consistent performance with rapid thermal recovery.

FEATURES & BENEFITS

Boiling

BOILING

Instant boiling water on demand at precise temperatures. No waiting, no energy-hungry kettle. Ideal for hot beverages and food preparation.

Chilled

CHILLED

Perfectly chilled filtered water at the touch of a lever. temperatures are adjustable between 6°C–15°C to suit your preference.

Sparkling

SPARKLING

Refreshing sparkling filtered water with adjustable carbonation up to 5 bars. Fresh, great-tasting and without the plastic bottle.

Ambient

AMBIENT

Filtered still water at room temperature. Unlimited supply, ideal for high-volume environments where chilling isn't required.

+Plus

+PLUS

The Plus range adds a separate mixer tap dispensing mains-fed hot and cold water, combining all functions into one single fixture.

7 STANDARD FINISHES

Our dispensers come in a variety of modern and stylish finishes to match your kitchen environment. Available in a tactile Brushed texture finish or a sophisticated Matte, our premium tap finishes offer a distinct sensory contrast while seamlessly colour-matching your cabinetry.



CH: CHROME | **BR:** BRUSHED | **MB:** MATTE BLACK | **MW:** MATTE WHITE | **UB:** URBAN BRASS | **GM:** GUN METAL | **SB:** SABLE BRONZE

WHY CHOOSE BILLI

Made & Owned in Australia

All Billi units are designed and manufactured in Melbourne, Australia.

Energy Efficient

Billi's unique Heat Exchange Technology enables our systems to achieve substantial energy savings. Our units also feature a standby mode which conserves energy by powering down after 2-3 hours of non-use.

Advanced Filtration

Billi genuine filters have built-in hygiene protections, such as a digital lockout that prevents expired units from being reused or contaminated. A reminder alarm on the display will indicate when to change your filter.

No Ventilation required

Billi's Water Cooled systems do not require cupboard ventilation or a cooling fan and operate significantly quieter than air cooled systems.

Space Saving Design

With a focus on space saving, Billi systems have one of the smallest footprints on the market, allowing you to make the most of the valuable underbench space.

Control temperature and sparkling settings

Lower temperatures between 6°C to 15°C for perfectly Chilled drinks, and up to 5 bars of Sparkling to your taste.

HOW TO CHOOSE YOUR BILLI

Four simple steps to the perfect instant filtered water system. Work down the page, make a choice at each step, and you are ready to specify.

1. PICK YOUR WATER — CHOOSE THE COMBINATION THAT SUITS YOU

- Boiling, Chilled & Sparkling
- Boiling & Chilled
- Boiling & Ambient
- Chilled & Ambient
- Chilled & Sparkling
- Chilled
- Ambient

2. PICK YOUR CAPACITY — HOW MANY PEOPLE WILL USE IT?

- UP TO 10
- UP TO 20
- UP TO 25
- UP TO 40
- UP TO 60
- UP TO 80
- UP TO 100
- UP TO 120
- UP TO 180

3. CHOOSE YOUR DISPENSER



Multifunction Mixer Tap



XL Levered



XT Touch



XR Remote



Round Slimline



Square Slimline



Dual Slimline

**Check compatibility of taps and water types from page 20.*

4. ADD ANY ACCESSORIES REQUIRED



PLUS — HOT & COLD

Add a separate mixer tap for everyday hot and cold water, with a boiling water reserve. Choose Gooseneck, Square or Paddle.



FONT & RISER

Installing away from a sink? Lift the dispenser into place with a 70mm or 120mm riser and matching font.




SPECIALTY DISPENSER

Added safety for critical care. Choose the Safety Dispenser or Coloured Levered XL with braille options.

NOW AVAILABLE

The Billi BIM & CAD Library

Free Revit and AutoCAD files for our most popular product ranges—ready to specify in seconds.



Native RVT & DWG file formats
Compatible with Revit 2021+ and AutoCAD

Specify **Better**

Billi | bimstore

www.billi.com.au/bim

FREE to access



Billi XL Levered Tap with matching Font & Riser in Matte Black

BILLI INNOVATION

MULTIFUNCTION MIXER TAP

BOILING CHILLED SPARKLING AMBIENT FILTERED



Multifunction Mixer Tap in Urban Brass

Multifunction Award Winner

The Billi Multifunction Mixer Tap is a testament to our commitment towards innovation and excellence, we've created a filtered water system that is both functionally versatile and aesthetically elegant for any modern kitchen.

Provides Boiling, Chilled and Sparkling filtered water along with mains-fed hot & cold, all from one seamless solution.

Recognised by Good Design Australia awards, our Multifunction Mixer Tap exemplifies the perfect blend of state-of-the-art filtration with underbench technology, making it one seamless solution where 'Flow meets Function'.

MIXER TAP — DESIGN FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE

MIXER TAP — KEY FEATURES

Elevated Tap Arch

Elevate your kitchen with an increased height clearance of 260mm, with 180° of arch rotation.

Optimised Spout Tip

Over 2 years of innovation and rigorous testing to ensure optimal user experience.

Space Saving

2 fixtures in 1 that offer a worry-free classic installation or a seamless retrofit, increasing valuable counterspace.

Awarded By Experts

Critiqued and recognised by a panel of global design experts as a solution to satisfy density reform in residential developments & flexible workspaces.

5-In-1 Functionality

One multifunctional fixture to match Billi's range of instant filtered boiling, chilled, sparkling and mains fed hot/cold water systems.

Ergonomic Interface

Practical touch-sensor user interface placed on the side to reduce risks of scalding, splashing, and accidental dispense.

Smart Safety

"Red for no, green for go." Smart locking tech with visual safety and fault indicators, in line with Billi's protection protocols.

Made & Owned in Australia

Compliant to Watermark with a 5-Star WELS rating to meet & exceed ANZ Standards.

BILLI INNOVATION

OMNIONE PRO

BOILING CHILLED SPARKLING AMBIENT FILTERED



Adjustable Temperature Controls via Touchscreen Interface

Two Capacities.
One Smart System.

Choose the capacity that meets your workplace demands. Both models share the same compact underbench footprint for effortless planning and installation, ensuring a perfect fit every time. Billi's advanced water-cooled technology delivers whisper-quiet operation, and leading energy efficiency with no need for cupboard ventilation.

Waste heat from the chilling process is intelligently recycled to preheat boiling water, significantly reducing energy consumption.



OMNIONE PRO — TWO SIZE OPTIONS

UP TO 20 PEOPLE
OMNIONE PRO 20

PRODUCT CODE: 926020

Ideal For: Moderate-use spaces, small offices, and meeting rooms

UP TO 60 PEOPLE
OMNIONE PRO 60

PRODUCT CODE: 926060

Ideal For: High-volume environments, busy kitchens, and large teams

OMNIONE PRO — KEY FEATURES

Water-Cooled Technology
Whisper-quiet operation with no cupboard ventilation required. Efficiency through water-based heat dispersal.

Boiling, Chilled & Sparkling
Three water functions from one compact underbench system. No extra appliances, no compromise.

Space Saving Design
With a focus on space saving, Billi systems have one of the smallest footprints on the market, allowing you to make the most of the valuable underbench space.

Temperature Control
Precise temperature & Co2 settings for Boiling, Chilled or Sparkling water. Adjust to suit your preferences at any time.

No Cupboard Ventilation Needed
Water-cooled design eliminates the need for cut-outs or airflow clearance, simplifying installation in any commercial fit-out.

Compatible With a Range of Dispensers
Pairs with the full Billi dispenser range including XL Levered, and Multifunction Mixer Tap for complete flexibility.

BILLI MILESTONE

CELEBRATING QUADRA'S 20TH ANNIVERSARY



Billi Plus system configured for DDA compliance

For 20 years, the Billi Quadra has been setting the benchmark for commercial filtered water systems. Join us in celebrating two decades of innovation that redefined workplace hydration and efficiency.

THE POWER OF INNOVATION — THEN AND NOW

The Quadra's success is rooted in its revolutionary technology. It was, and remains, a true breakthrough:

- **Pioneering Heat Exchange Technology:** Our unique thermodynamic heat exchange system conserves energy by pre-cooling the incoming mains water using the heat expelled from the chilling process. This delivers unmatched energy efficiency and performance.
- **Ultimate Space-Saving Design:** Say goodbye to bulky systems! The Quadra requires zero cupboard ventilation, eliminating the need for external vents and grilles. This sleek, compact design allows for installation in tight spaces, preserving valuable under-bench storage.
- **Sustainably Certified Excellence:** The Billi Quadra is proud to be GreenTag Certified, affirming its commitment to environmental responsibility and lower ecological impact throughout its lifecycle.

A SOLUTION FOR EVERY WORKPLACE

The Quadra range offers flexible hydration tailored to the needs of any business:

- **Model Range:** Choose the perfect combination for your team:
- **Quadra:** Instant boiling and chilled filtered water.
- **Quadra Plus:** Instant boiling and chilled water plus hot & cold mixer tap.
- **Quadra Sparkling:** Offering boiling, chilled, and sparkling filtered water.
- **Quadra Sparkling Plus:** The ultimate combination of boiling, chilled, and sparkling water plus the convenience of hot & cold mixer tap.
- **Scalable Capacity:** From busy offices to large-scale commercial applications, our wide selection of capacities ensures you have the right flow. We cater to applications ranging from 20 to more than 200 people, guaranteeing instantaneous, high-volume filtered water for everyone.



WATER SYSTEMS

PLUS SYSTEMS CAN PROVIDE HOT WATER TO MAIN TAP.



Billi XL levered tap with 120mm Riser in Brushed, with Billi Eco underbench system

BILLI ECO

Instant boiling and chilled filtered water system.

Boiling | Chilled




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
901000	Eco	Up to 10	90	60	10

DISPENSER OPTIONS



G XL XT XR V



BILLI ECO SPARKLING

Instant boiling, chilled and sparkling filtered water system.

Boiling | Chilled | Sparkling




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
906000	Eco Sparkling	Up to 10	90	100	2x10

DISPENSER OPTIONS



G XL



Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170mL. Usage patterns and draw-off methods can impact recovery.

BILLI QUADRA

Instant boiling and chilled filtered water system.

Boiling | Chilled




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
904010	Quadra Compact	Up to 20	100	150	10
904020	Quadra 420	Up to 25	120	175	10
904040	Quadra 440	Up to 40	150	175	10
904060	Quadra 460	Up to 60	180	175	10
904100	Quadra 4100	Up to 100	250	175	15
904180	Quadra 4180	Up to 180	350	175	20

DISPENSER OPTIONS



G XL XT XR V



BILLI QUADRA PLUS

Instant boiling and chilled filtered water system plus separate hot and cold mixer tap.

Boiling | Chilled | +Plus



PRODUCT CODE	MODEL	50 HOT WATER CAPACITY LITRES (INITIAL DRAWDOWN)	50 HOT WATER DELIVERY LITRES PER HOUR	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
904025	Quadra Plus 5	7	40	120	175	10
904065	Quadra Plus 9	9	60	180	175	10
904105	Quadra Plus 15	15	85	250	175	15

DISPENSER OPTIONS




XL XT XR

MIXER OPTIONS



P G S



BILLI QUADRA SPARKLING

Instant boiling, chilled and sparkling filtered water system.

Boiling | Chilled | Sparkling




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED SPARKLING WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
906100	Quadra Sparkling 4100	100	Up to 220	200	1x10 / 1x15
906060	Quadra Sparkling 460	60	Up to 180	200	2x10

DISPENSER OPTIONS



G XL



BILLI QUADRA SPARKLING PLUS

Instant boiling, chilled and sparkling filtered water system plus separate hot and cold mixer tap.

Boiling | Chilled | Sparkling | +Plus



PRODUCT CODE	MODEL	50 HOT WATER CAPACITY LITRES (INITIAL DRAWDOWN)	50 HOT WATER DELIVERY LITRES PER HOUR	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
906105	Quadra Sparkling Plus 15	15	85	Up to 220	200	1 x 10 1 x 15

DISPENSER OPTIONS




G XL

MIXER OPTIONS



P G S



**Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170mL. Usage patterns and draw-off methods can impact recovery.*

BILLI OMNIONE

Innovative technology that combines Boiling, Chilled and Sparkling water into an all-in-one system.

Boiling | Chilled | Sparkling




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
926020	OmniOne Pro20	Up to 20	120	220	1x10
926060	OmniOne Pro60	Up to 60	180	220	1x10

DISPENSER OPTIONS



G XL



BILLI OMNIONE PLUS

Innovative technology that combines Boiling, Chilled and Sparkling water into an all-in-one system, plus separate Hot & Cold mixer tap.

Boiling | Chilled | Sparkling | +Plus



PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	50 HOT WATER DELIVERY LITRES PER HOUR	BOILING WATER DELIVERY* (CUPS PER HOUR)	CHILLED & SPARKLING WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
926065	OmniOne Plus 9	Up to 60	60	180	220	1x10

DISPENSER OPTIONS




XL

MIXER OPTIONS



P G S



BILLI SAHARA

Instant boiling and ambient filtered water systems

Boiling | Ambient




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	BOILING WATER DELIVERY* (CUPS PER HOUR)	AMBIENT WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
943010	Sahara 310	Up to 10	90	Unlimited	10
943020	Sahara 320	Up to 25	120	Unlimited	10
943060	Sahara 360	Up to 60	165	Unlimited	10
943120	Sahara 3120	Up to 120	220	Unlimited	15

DISPENSER OPTIONS



G XL XT XR V



BILLI SAHARA PLUS

Instant boiling and ambient filtered water system plus separate hot and cold mixer tap.

Boiling | Ambient | +Plus



PRODUCT CODE	MODEL	50 HOT WATER CAPACITY LITRES	50 HOT WATER DELIVERY LITRES PER HOUR	BOILING WATER DELIVERY* (CUPS PER HOUR)	AMBIENT WATER DELIVERY (CUPS PER HOUR)	POWER SUPPLY (AMPS)
943025	Sahara Plus 320	7	25	120	Unlimited	10
943065	Sahara Plus 360	9	40	165	Unlimited	10
943125	Sahara Plus 3120	15	65	220	Unlimited	15

DISPENSER OPTIONS




XL XT XR

MIXER OPTIONS



P G S



Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170mL. Usage patterns and draw-off methods can impact recovery. A reserve of boiling water is still available after hot water is fully drawn.

BILLI ALPINE

Chilled and ambient filtered water systems

Chilled | Ambient



PRODUCT CODE	MODEL	PRODUCT FEATURE	SUGGESTED NO. OF PEOPLE	CHILLED WATER DELIVERY* (CUPS PER HOUR)	POWER SUPPLY (AMPS)
932060	Alpine 060	Chilled	12	60	10
932120	Alpine 120	Chilled	25	120	10
932125	Alpine 125	Chilled & Ambient	40	120	10

DISPENSER OPTIONS: (ALPINE 060/120)




R S E

DISPENSER OPTIONS: (ALPINE 125)



G XL XT XR



BILLI ALPINE SPARKLING

High capacity chilled & sparkling system

Chilled | Sparkling




PRODUCT CODE	MODEL	SUGGESTED NO. OF PEOPLE	CHILLED & SPARKLING DELIVERY* (CUPS PER HOUR)	POWER SUPPLY (AMPS)
933100	Alpine Sparkling 100	40	100	10
933200	Alpine Sparkling 200	80	200	10

DISPENSER OPTIONS



D



BILLI FILTER TAP

Instant ambient filtered water system

Ambient




PRODUCT CODE	MODEL	STILL WATER CUPS PER HOUR
932210	Filter Tap	Unlimited

DISPENSER OPTIONS



R S E

Filter Tap Unit



**Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170mL. Usage patterns and draw-off methods can impact recovery.*



Need help with picking your perfect combo system? Try 'Find my solution' on our website to filter your results!

DISPENSERS



Standard Finishes:

Our dispensers come in a variety of modern and stylish finishes to match your kitchen environment.



CH: CHROME | **BR:** BRUSHED | **MB:** MATTE BLACK | **MW:** MATTE WHITE | **UB:** URBAN BRASS | **GM:** GUN METAL | **SB:** SABLE BRONZE


Urban Brass XL Levered Dispenser with complementary Round Mixer Tap



XL

XL LEVERED DISPENSER

Our Commercial Flagship and still a classic, the levered dispenser is streamlined and elegant. It is simply operated with position-sensitive levers.



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE


Add 'L' and finish code to product code (e.g. 901000LCH)



XT

XT TOUCH DISPENSER

The touch dispenser is an innovative, contemporary design, which has a top operating panel offering a sophisticated and clean style.



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE


Add 'T' and finish code to product code (e.g. 901000TCH)



XR

XR REMOTE DISPENSER

The remote dispenser is another version of the touch dispenser, however the operation panel is located away from the dispenser. This can be installed in your desired position to meet design requirements, particularly wheelchair access.



AVAILABLE FINISHES



CH: CHROME


Add 'R' and finish code to product code (e.g. 901000RCH)



G

MULTIFUNCTION MIXER TAP

Award winning multifunction dispenser capable of dispensing filtered drinking water and domestic water for the sink from a single fixture. Requires Hot & Cold mains connection.



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE


Add 'G' and finish code to product code (e.g. 925100GCH)



V

SAFETY DISPENSER

Safety Dispenser has been specifically designed as a solution for critical care applications, such as correctional centres, mental health facilities and aged care



AVAILABLE FINISHES



CH: CHROME


Add 'V' and finish code to product code (e.g. 901000VCH)



LRB

RED/BLUE XL LEVERED DISPENSER

Special order coloured levers provide full vision safety where LED indicators cannot be seen. **Optional:** braille pads can be supplied with the coloured XL levered dispenser to provide further safety for vision impaired users.



AVAILABLE FINISHES



RB: Chrome with Red & Blue Levers



*Available in other tap body finish upon request.


Spare Parts Code: 996300
Add 'LRB' to the product code (e.g. 996300LRB)



R

ROUND SLIMLINE DISPENSER

Round in design with single pin lever option.
Suitable for ambient or chilled water.



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL


Add 'R' and finish code to product code (e.g. 932060RCH)



S

SQUARE SLIMLINE DISPENSER

Square in design with single paddle lever option. Suitable for ambient or chilled water.



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL


Add 'S' and finish code to product code (e.g. 932060SCH)



E

SQUARE SLIMLINE SPOUT EXTENSION

Extended spout allows bottles and jugs to be filled when the tap is installed on a font.



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK


Add 'E' and finish code to product code (e.g. 932060ECH)



D

DUAL LEVER DISPENSER

Round in design with dual levers. Suitable for chilled and sparkling water.



Add 'D' and finish code to product code (e.g. 933100DCH)

AVAILABLE FINISHES




CH: CHROME
BR: BRUSHED
MB: MATTE BLACK



G +PLUS

GOOSENECK MIXER TAP

Round gooseneck design suitable for plus units and offers hot and cold water in addition to X Series dispenser range. Also available as a stand-alone mixer tap.



Add 'G' and finish code to product code and dispenser option (e.g. 904025LGCH)

AVAILABLE FINISHES




CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL



S +PLUS

SQUARE MIXER TAP

Square gooseneck design suitable for plus units and offers hot and cold water in addition to X Series dispenser range. Also available as a stand-alone mixer tap



Add 'S' and finish code to product code and dispenser option (e.g. 904025LSCH)

AVAILABLE FINISHES




CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL



P +PLUS

PADDLE LEVER MIXER TAP

Paddle design mixer tap supplied with Plus units and offers hot and cold water in addition to X Series dispenser range. Also available as a stand-alone mixer tap



AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL


Add 'P' and finish code to product code and dispenser option (904025LPCH)



DISABLED LEVER - FOR USE WITH PADDLE LEVER MIXER TAP

Product Code : 992121CH / 992121MB

Suitable for plus units and offers extended reach for DDA compliance.



AVAILABLE FINISHES

CH: CHROME




MB: MATTE BLACK



FONT WITH 70MM RISER

Product Code: 992800





AVAILABLE FINISHES

CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE

COMPATIBLE DISPENSERS




XL **XT** **XR**

FONT WITH 120MM RISER

Product Code: 992803





AVAILABLE FINISHES

CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE

COMPATIBLE DISPENSERS




XL **XT** **XR**

SLIMLINE FONT

Product Code: 992810





AVAILABLE FINISHES

CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE

COMPATIBLE DISPENSERS



D **R** **S** **E**

70MM RISER

Product Code: 992820





AVAILABLE FINISHES

CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE

COMPATIBLE DISPENSERS




XL **XT** **XR**

120MM RISER

Product Code: 992830





AVAILABLE FINISHES

CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
MW: MATTE WHITE
UB: URBAN BRASS
GM: GUN METAL
SB: SABLE BRONZE

COMPATIBLE DISPENSERS



XL **XT** **XR**


FILTERS & WATER TREATMENT



IN PARTNERSHIP WITH BWT

Advanced multi-stage filtration

Every Billi filter is built in graded layers, each one doing a specific job as water passes through. Explore the construction, then see how Fibron X compares to a conventional carbon filter.



OUTER CARBON LAYER

Powdered activated carbon media takes the first pass, reducing taste, odour and chlorine.

CYST REDUCTION LAYER

Fine-porosity media with a graded density that captures cysts and finer particulate.

POST-FILTRATION LAYER

Carbon traps fine sediment before water leaves the cartridge.


STRUCTURAL CORE

Holds the media in a graded profile and gives the cartridge its strength.

↓ WATER PASSES THROUGH EVERY STAGE IN SEQUENCE

FIBRON X VS CONVENTIONAL CARBON


All Billi filters are certified to NSF/ANSI International Standard 42 & 53 and Australian Standards.



BWT FIBRON X CARBON FILTER

Activated carbon fibre bonded in a graded density profile, with minimal binding agent. More usable surface area means higher contaminant reduction and greater capacity.

V/S



CONVENTIONAL CARBON FILTER

Loose granules held together with a resin binder. The binder blocks surface area and leaves channels, so water finds the path of least resistance and filtration quality drops.

↑

SURFACE AREA
Fibre exposes more active carbon than bonded granules

↑

CAPACITY
More contaminant held before the cartridge needs changing

↓

CHANNELING
Even structure stops water bypassing the media

WHY TIMING MATTERS

Maximum Performance, Minimum Effort

To enjoy optimal water quality and long-lasting efficiency from your Billi unit, an internal timer will remind you to replace your filter annually. High-usage & sediment-rich environments benefit from a refresh every 6 months.

Stop Biofilm, Keep Purity

Filters collect organic matter. Failure to change them leads to biofilm development, which directly causes reduced water purity and decreased unit performance.

Quick & Convenient Service

To ensure your Billi delivers the highest quality instant water and runs optimally, Enjoy worry-free maintenance with our Service Plans that provide filters and Co2 replacements on schedule, backed by our nationwide network of trained service technicians.



12 MONTH*
REPLACEMENT
*Frequency depends on usage

Easy Filter Change

Periodic replacement of filters is necessary to maintain water quality. Genuine replacement Billi filters are available on our website and from your local approved supplier.

Filters are also available to suit the needs of different water supply areas. Billi filters have been independently tested and certified by IAPMO to international standards of NSF, WRAS and Watermark to protect from known water-borne contaminants.

All Billi genuine filters come with Hygiene Protection Protocols. These protocols are designed to protect the end user from cross-contamination, while concurrently supporting the optimal function of your Billi product.

For further installation instructions refer to your user guide or visit our website.

SIMPLY SWING FORWARD AND SLIDE OUT TO REPLACE FILTER.



SEDIMENT
Reduces particles in the water

CHEMICALS
Reduces Chlorine and organic chemicals

MINERALS
Enables minerals to flow through the appliance without allowing scale build up

CYSTS
Reduces Parasitic Cysts Giardia and Cryptosporidium (*994052 only)

LEAD
Reduces Lead and heavy metals (*994052 only)

Explore more at www.billi.com.au/billi-how-to-videos

REPLACEMENT FILTER RANGE

		 RECOMMENDED			
REPLACEMENT FILTER	5 Micron Fibron X®	0.2 Micron Fibron XC®	HSD Fibron XT®	Sediment Only	0.2 Micron HF Sediment Only
PRODUCT CODE	994051	994052	994054	994056	994060
NOMINAL FILTER RATING	5 Micron	0.2 Micron	10 Micron	5 Micron	0.2 Micron
FILTRATION CAPABILITY	Sediment, Chlorine, Taste & Odour	Sediment, Chlorine, Taste & Odour, Parasitic Cysts, Lead	Sediment, Chlorine, Taste & Odour	Sediment	0.2 Micron HF Sediment
NOMINAL FLOW RATE	3.8lpm	3.8lpm	3.8lpm	3.8lpm	3.8lpm
WATER PRESSURE	80 kPa min – 860 kPa max	80 kPa min – 860 kPa max	80 kPa min – 860 kPa max	80 kPa min – 860 kPa max	80 kPa min – 860 kPa max
CAPACITY	30,000 litres (Chlorine reduction)	30,000 litres (Chlorine reduction)	30,000 litres (Chlorine reduction)	30,000 litres	10,000 litres
WATER TEMPERATURE	38°C max; Must not freeze	38°C max; Must not freeze	38°C max; Must not freeze	38°C max; Must not freeze	38°C max; Must not freeze

BWT × Billi®

IN 2024, BILLI PRODUCED IT'S 500,000TH CARTRIDGE

This achievement is a testament of dedication with our loyal partner BWT.



PRE-FILTRATION

EXTERNAL FILTRATION FOR ADDED PROTECTION

UP TO 99.6% PFOS/PFOA REDUCTION




PRE-FILTRATION OPTIONS


CHOOSE THE RIGHT PROTECTION FOR YOUR WATER

Whether you're managing sediment-heavy water supplies or addressing emerging contaminants such as PFAS, Billi external filtration solutions work alongside the internal Billi filter to deliver enhanced water quality and system protection.


And if you're simply looking for an additional layer of protection without replacing existing tapware, Billi's external filter kits can be easily retrofitted to most mixer taps on the market.



STANDARD FILTRATION



ENHANCED FILTRATION



DESCRIPTION	FILTRATION CAPABILITY	KIT CODE	FILTER REPLACEMENT CODE
HSD 5 Micron Pre-Filter	5 micron Sediment, Chlorine, Taste, Odour	994110	994006
Phosphate 5 Micron Pre-Filter	5 micron Sediment, Chlorine, Taste, Odour, Scale	994113	994007
High Capacity 5 Micron Pre-Filter	5 micron Sediment, Chlorine, Taste, Odour, Scale	994114	994008
PFOS PFOA 0.5 Micron Pre-Filter	0.5 micron PFOS/PFOA	994117	994010

Full Kit includes head, bracket and tubing for initial installations.

Targeted PFAS reduction

PFAS are a group of persistent chemicals that can be found in some water supplies. Billi's external PFAS Reduction Filter provides an additional level of protection, reducing up to 99.6% of PFOS and PFOA for cleaner, better-quality drinking water.

The compact external filter can be installed with a new Billi system or retrofitted to an existing system or mixer tap. 0.5 micron filtration. Up to 12-month filter life* Independently tested for PFOS/PFOA reduction

**Filter life may vary depending on water quality and usage.*

PRODUCT RANGE

WASHROOM AND ACCESSORIES



Touchless sensor taps for healthcare and infection risk controlled environments


HANDS FREE SENSOR TAPS

Billi's sensor tap range has a unique electronic sensor built into the spout which automatically detects hand movement in the hand washing zone and shuts off as soon as you move your hands away, reducing water wastage. Available in wall or bench mount options.




BENCH MOUNT

AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
UB: URBAN BRASS








WALL MOUNT

AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
UB: URBAN BRASS




WALL MOUNT STRAIGHT

AVAILABLE FINISHES



CH: CHROME
BR: BRUSHED
MB: MATTE BLACK
UB: URBAN BRASS



PRODUCT CODE	MODEL	WELS RATING	MAX. DISPENSER TIME
961000	Bench Mount Sensor Tap	6 Star	4 litres/min
961100	Wall Mount Sensor Tap	6 Star	4 litres/min
961300	Straight Wall Mount Sensor Tap	6 Star	4 litres/min

HANDS-FREE SOAP DISPENSERS

Offering a touchless handwashing experience, Billi's hands free soap dispensers featuring a 1000ml reservoir and battery or mains power supply. Available in wall or bench mount options.



BENCH MOUNT

AVAILABLE FINISHES



CH: CHROME




BR: BRUSHED



MB: MATTE BLACK



UB: URBAN BRASS







WALL MOUNT

AVAILABLE FINISHES



CH: CHROME




BR: BRUSHED



MB: MATTE BLACK



UB: URBAN BRASS



WALL MOUNT STRAIGHT

AVAILABLE FINISHES



CH: CHROME




BR: BRUSHED



MB: MATTE BLACK



UB: URBAN BRASS



PRODUCT CODE	MODEL	WELS RATING	MAX. DISPENSER TIME
982410	Bench Mount Sensor Soap Dispenser	6 Star	10 seconds
982411	Wall Mount Sensor Soap Dispenser	6 Star	10 seconds
982412	Straight Sensor Soap Dispenser	6 Star	10 seconds

INDUSTRIAL BOILING & CHILLED OPTIONS




BILLI ULTRA

Boiling

The Billi Ultra is a cost effective source of instant boiling water at the touch of a lever. This wall mounted unit is ideal for commercial environments.

Ultra has a range of 5 capacities from 3L for small kitchenettes, through to 25L for high volume requirements such as sporting clubs, HoReCa venues or community centres.



*Ultra 2500 unit dimensions shown.

PRODUCT CODE	MODEL	INITIAL DELIVERY CAPACITY CUPS	BOILING WATER DELIVERY (CUPS PER HOUR)	HEATING ELEMENT (KW)	PRODUCT DIMENSIONS H X W X D (MM)
910030	Ultra 300	20	170	2.4	370 x 260 x 155
910060	Ultra 600	38	188	2.4	420 x 310 x 170
910080	Ultra 800	50	200	2.4	510 x 310 x 170
910160	Ultra 1600	100	250	2.4	545 x 365 x 220
910250	Ultra 2500	160	310	2.4	550 x 414 x 264




RM 33 BUBBLER

Chilled

Delivering up to 30 litres of chilled water per hour, the RM Bubbler satisfies the hydration needs of construction sites and community environment

Made from tough, durable materials, this bubbler is perfectly suited to outdoor areas and locations that are usually exposed to harsh weather and rough-use conditions.



- IP 33 Rating
- Capacity suitable for high volume areas
- 100% rust proof and UV stabilised cabinet to prevent material degradation
- Includes standard drinking spout and convenient bottle filler
- Impact resistant construction
- Strong built and dependable, ideal for outside environments
- Granite style finish

PRODUCT CODE	MODEL	CAPACITY	CHILLED WATER DELIVERY GLASSES PER HOUR*	POWER SUPPLY (AMPS)
988016	RM 33 Bubbler	30L/hour	175*	10

*Water temperature at 5°C. *Based on the initial number of glasses of chilled water immediately available, drawn one cup every 10 seconds.*

ACCESSORIES

TUBING EXTENSION KIT FOR X SERIES DUAL TEMP DISPENSERS

1 Metre Product Code: 990712
2 Metres Product Code: 990720

DISPENSER OPTIONS: G, XL, XT AND XR



1.8 METRES: TUBING EXTENSION KIT FOR PLUS UNITS

Product Code: 990714

DISPENSER OPTIONS: P, G AND S



2 METRES: TUBING EXTENSION KIT FOR SLIMLINE TAP

Product Code: 990724

DISPENSER OPTIONS: R, S AND E



2 METRES: TUBING EXTENSION KIT FOR SPARKLING UNITS

Product Code: 990726

DISPENSER OPTIONS: G AND XL



2 METRES: TUBING EXTENSION KIT FOR SLIMLINE SPARKLING UNITS

Product Code: 990727


DISPENSER OPTIONS: D



CO2 CYLINDER:

Single (1.1kg) Product Code: 996911
2 Pack (2x1.1kg) Product Code: 996912

SUITABLE FOR ALL BILLI UNDERBENCH SPARKLING UNITS





SUSTAINABLE CO2

To see if refillable C02 is available in your area, or to arrange a refillable C02 plan please contact Billi on 1800 812 321 or email us at billicare@billi.com.au



Multifunction Mixer Tap in Brushed with boiling, chilled & sparkling water.

Build your solution at billi.com.au/commercial

BILLI'S INSTALLATION AND SERVICE

AFTERSALES EXPERTS

Tap Into Better

Our mission is to be the leading provider of innovative, sustainable, and reliable hydration solutions for commercial and residential environments.

We are committed to revolutionising filtered water access through superior technology and an unwavering focus on customer excellence.

Everything we do is guided by these principles:



Innovation

We continually strive to set new standards in water filtration and appliance efficiency, pioneering technology like our unique heat-exchange system.



Sustainability

We are dedicated to minimising our environmental footprint, which is why our products are designed for energy efficiency and hold certifications like Global GreenTag.



Reliability

We build products engineered to last, ensuring consistent performance and peace of mind for our customers.



Design Excellence

We blend cutting-edge technology with contemporary, space-saving designs that seamlessly integrate into any modern workplace.

ENGINEERING EXCELLENCE MEETS EXCEPTIONAL CARE

Expert Installation & Setup:

Our qualified & accredited technicians ensure your system is configured for optimal performance from day one, reducing costs and downtime.

Preventative Maintenance:

We help you stay ahead of issues with scheduled maintenance programs that maximise the full-lifecycle and efficiency of your system.

Hassle-Free Filter Replacements:

Never worry about water quality. Our support team makes it easy to keep your water tasting pure, with changeovers of genuine filters and parts from us.

Rapid Response Repairs

Should an issue arise, our extensive national network of trained technicians is ready to respond swiftly, minimising downtime and disruption to your business.



Multifunction Mixer Tap in Urban Brass with Billi OmniOne underbench unit.

WARRANTY & CERTIFICATIONS

Standard Warranty

All components of the drinking water systems are covered by a 24-month warranty.
The washroom range is covered by a 12 month warranty.

Commitment to Quality

A strong commitment to quality is as important to Billi as style, function and innovation. Recognising the importance of reliability to customers, all Billi water systems are manufactured to strict quality standards. Every system is designed to provide the highest possible standards of efficiency and energy savings.

Certifications

Every Billi drinking water appliance is manufactured under a certified quality control system.
They have been tested and comply with all relevant standards.

Billi Eco, Eco Sparkling, Quadra, Quadra Sparkling, Quadra Plus, Quadra Sparkling Plus, Billi Sahara and Sahara Plus, OmniOne systems are tested to and comply with: Watermark license number WM-21525.

Billi Alpine are tested to and comply with; Watermark license number WM-21882, WMTS-105:2016.

Filter Tap systems are tested to comply with WM-022902.

Billi Multifunction Mixer Tapware is tested and compliant to Watermark WM 021914.

BWT filter models 994051, 994052, 994054, 994056 & 994060 are tested to and comply with;
Watermark license number WM-022902.

All Billi systems are also tested to AS/NZS 4020; AS1428: Accessibility Design Requirements. Billi is also ISO 9001, ISO 14001 & ISO 45001 certified.

Billi Quadra and Quadra Plus products are certified Gold Level under Global GreenTag LCARate standard 4.1.

Billi's range of Filter, Mixer and Sensor taps are Watermarked and licensed under the Water Efficiency Labelling and Standards (WELS) and can be found on the Product Register portal.

Billi systems are certified under HACCP PE-138-BIL-R1-02.

Billi has been a Cornerstone Member of the International WELL Building Institute (IWBI) since 2019 and certified under IWBI's 'Works With WELL' program since 2024.

*This list represents the certifications on record and while every effort has been made to ensure accuracy and currency, it may not be fully updated upon viewing.

bsi ISO 9001 Quality Management Systems CERTIFIED

bsi ISO 14001 Environmental Management CERTIFIED

bsi ISO 45001 Occupational Health and Safety Management CERTIFIED

Global GreenTag Certified GOLD STREAMLINED LCARate™

*On Quadra and QuadraPlus models only.

HACCP INTERNATIONAL FOOD SAFETY PROGRAMME CERTIFICATION

INTERNATIONAL WELL BUILDING INSTITUTE MEMBER CORNERSTONE

Lead Free



Matte Black XL Dispenser with Matte Black Square Mixer Tap

Please scan the QR code for all support information.

Billi International
W www.billiwater.com

Billi Australia Pty Ltd
P 1800 812 321
W www.billi.com.au
1/21-35 Radford Road, Reservoir,
Victoria 3073 Australia

Billi® is a registered trademark of Billi Australia Pty Ltd. All right reserved. © Copyright Protected. As a policy of continuous improvement, all details are subject to change without notice. All goods sold are subject to our published terms and conditions. 0826